

CATALOGUE 2020

# CAMPER & MOTORHOME AWNINGS

THE FULL RANGE

Kampa® | ➡ DOMETIC







# MOBILE LIVING MADE EASY.

## WELCOME TO KAMPA DOMETIC

Make the most of the outdoors with a Kampa Dometic awning. Our premium awnings feature the latest innovations and enhancements to provide privacy and comfort wherever you pitch-up. Designed for easy and convenient extension of your living space, quality materials are used to ensure reliable operation and durability. This year, we've advanced and developed our best-selling awnings to give you the confidence and ability to adventure further and for longer.











# ACCESSORIES

PAGE 39-55

## STATIC AWNINGS

Ace AIR All-Season 400	14-15
Grande AIR Pro 390	16-17
Rally AIR 260   330	18-19
Winter AIR PVC 260	20-21
Sunshine AIR Pro VW	22-23

## DRIVE-AWAY AWNINGS

Rally AIR Pro 240 T/G	28-29
Rally AIR Pro 260 VW   260   330   390 D/A	30-31
Touring AIR Classic VW   AIR VW	32
Motion AIR	33
Cross AIR	34
Cross AIR VW T/G	35
Action AIR   Action VW	36
Trip AIR   Trip VW	37
Tailgater AIR   Tailgater	38

## ACCESSORIES

Store	40
AIR Break	41
Pro Windbreak	42
Canopies & Vestibules	43
Annexes	44
Inner Tents	45
Roof Linings	46
Mesh Panels	47
Carpets & Footprints	48
Bespoke Awning Equipment	49-51
Chairs	52-53
Tables	54
Cupboards & Wardrobes	55

## KAMPA DOMETIC ON THE WEB

Here's where you can find the complete Kampa Dometic range, with detailed information about all products. Plus, find interesting facts about our company and download links for all our catalogues.

VISIT DOMETIC.COM






# EXPERT ADVICE FROM AWNING PIONEERS

CHOOSE THE BEST INFLATABLE AWNING FOR YOU AND YOUR VEHICLE

It's important to know the height of the attachment point on your vehicle from the ground to determine which height of awning will best suit your vehicle. For static awnings, this refers to the height from the ground to the awning rail or cassette awning which the awning will be connected to. For drive-away awnings this could also refer to

your vehicle's roof, depending on your preferred fitment method. We offer drive-away and static awnings in a range of heights, designed to fit vehicles with heights of 180 cm up to 310 cm. The diagram below outlines the sizes available for static awnings.

## STATIC AWNING HEIGHTS







## STATIC AWNINGS

For tourers wanting an awning designed for static use, our best-selling static awnings are easy to set-up and take-down, providing fantastic fitting to the vehicle side and first class accommodation. Utilising the unique AirFrame system, which links individual AirPoles together, Kampa Dometic static awnings can be conveniently inflated from a single point. Twin beading comes as standard (4 mm and 6 mm) and can either be fed through the awning rail attached to your vehicle or threaded through the front channel of a cassette awning.



## DRIVE-AWAY AWNINGS

Drive-away awnings offer the ultimate in touring convenience. Quick to set-up and completely free-standing, simply detach your drive-away awning and leave it to reserve your pitch whilst you explore the local area in your vehicle. Available in poled and inflatable AirFrame versions, there's a wide range of awnings available to suit vehicles with attachment heights between 180 cm and 300 cm.






# KAMPA DOMETIC AIRFRAME

QUICK AND SECURE – OUR GROUNDBREAKING INNOVATION HAS  
REVOLUTIONISED TOURING

The patented AirFrame technology in Kampa Dometic inflatable awnings will transform your touring experience. Two systems have been developed to suit the different awning designs in the range. The Single Point Inflation system sees conventional steel and fibreglass poles replaced with interlinked inflatable AirPoles. This unique Kampa Dometic system enables you to inflate the entire awning from a single point and the AirFrame is always attached to the awning for a quick and easy setup. The second Kampa Dometic system, Multi Point Inflation, utilises separate inflatable AirPoles. This reliable

AirFrame system uses multiple inflation and deflation points for the most straightforward, time-saving awning set-up and take-down. Not only is the AirFrame extremely strong, it can flex in the wind too, meaning you'll never break or bend a pole. Additionally, with no metal or fibreglass poles there's nothing to damage your motorhome, as the AirPoles simply rest against your vehicle with no other attachment needed. Each awning comes with a manual hand pump or for maximum convenience, simply plug in the optional Gale 12 V pump.

## AIRFRAME PRESSURE IN RESPONSE TO DIFFERING AIR TEMPERATURES





# SINGLE POINT INFLATION



Individual AirPoles are linked together allowing the entire awning to be inflated from a single external inflation point. The entire AirFrame is easily deflated through quick release deflation valves at the base of each leg; as each AirPole is connected there is no need to deflate each AirPole individually. So, as well as being the easiest awnings to set-up, the user-friendly Kampa Dometic awnings are also the easiest to take down.



Deflation valve



For optimal performance inflate to 9 PSI

Inflation valve

## AIRFRAME CONSTRUCTION

The AirFrame is incredibly durable, each AirPole is made of a strong TPU inflation tube zipped into a reinforced laminated oxford polyester/PE cover, which is then zipped into a heavy-duty polyester sleeve in the awning. Tested up to 22 psi, the AirFrame system best functions when inflated to 9 psi.



## RELIABLE TECHNOLOGY

Kampa Dometic AirPoles are well protected and require no maintenance. Inflatable awnings are considerably lighter, and with no poles to snap, the AirFrame is also far more durable than conventional poles. Suitable for both hot and cold climates, the AirFrame can even handle extreme changes in temperature.





# MULTI POINT INFLATION

With ease of use and function in mind, Kampa Dometic have pioneered a range of inflatable awnings specifically designed for motorhomes and camper vans. Multi Point Inflation motorhome and campervan awnings are inflated one AirPole at a time via external inflation points, which double as deflation points.

Internal spreader AirPoles are utilised where necessary to create a strong structure that can withstand the elements and greatly reduce set-up time. We continually look to improve the design and function of AirFrame awnings with enhancements made year-on-year.



For optimal  
performance  
inflate to  
7-8 PSI



Each AirPole is made of a strong TPU inflation tube that is zipped into a tough reinforced polyester cover. This is then zipped into a heavy-duty polyester sleeve in the awning. The result is an extremely well protected, durable AirFrame which requires no maintenance.



# AWNING KEY FEATURES

INNOVATIVE FEATURES TO ENHANCE YOUR TOURING EXPERIENCE



## AIRFRAME™

Focussing on ease of use and function, AirFrame awnings are extremely durable, maintenance-free and strong.



## QUICKPITCH™ GUYING SYSTEM

Heavy-duty straps can be pegged out in seconds. Peg the bottom strap taut and adjust the top buckle to apply tension.



## DUAL-PITCH™ ROOF SYSTEM

Effectively deflect wind and shed rain water efficiently to prevent puddling on the roof and enhance performance.



## SABRELINK™ READY

Attach up to three lights on the front and centre AirPoles. Switch the lights on/off and adjust the brightness remotely. Also suits poled awnings.



## LIMPET™ READY

Pre-punched holes ready to attach the rear wall of the awning to the vehicle using Limpet Fix technology.



## CLIMATE CONTROL

High and low level vents create airflow to ventilate your tent. Ventilation helps prevent condensation and improves comfort.



## ZIPPED BLINDS

Zipped window blinds with easy-store pockets provide privacy when you need it.



## SLEEP-TITE DARKENED BEDROOMS

Inner tents use dark materials to help block out sunlight for a good night's sleep.



## WIDER BEDROOMS

On average, Kampa Dometic bedrooms are the widest available, ensuring a comfortable night's sleep.



## WARDROBE POLE READY

Simply clip in to the left or right hand inner tents and unpack your clothes.





# AWNING MATERIALS

HIGH QUALITY FABRICS TESTED FOR DURABILITY



## WATERPROOF

Tested to 200L/m<sup>2</sup> per hour to ensure that you are kept dry.



### WEATHERSHIELD™ ALL-SEASON

Ultra-rugged and UV resistant All-Season material, perfect for touring in warmer climates and for use on a seasonal pitch. The fully breathable fabric is constructed to handle extremes of weather and has been tested in the wettest regions of Europe and the sunniest parts of Australia to ensure it never lets you down.



### WEATHERSHIELD™ PRO

The iconic Kampa Dometic fabric used extensively throughout the awning range has proven quality in diverse environments. With the look and feel of a traditional fabric, but weighing far less, WeatherShield™ Pro continues to be the definitive choice for tourers the world over.



### WEATHERSHIELD™ PVC

Constructed with 400g/m<sup>2</sup> PVC, this super tough awning material is waterproof, long-lasting and easy to clean. Developed by Kampa Dometic for winter touring, WeatherShield™ PVC is rated to -20 °C, more than a match for even the most extreme snowy conditions.



### WEATHERSHIELD™ CLASSIC

All the protection of polyester materials with superior comfort. High quality WeatherShield™ Classic polycotton material allows the awning to breathe, reducing condensation and helping to regulate the interior temperature on hot days.



### WEATHERSHIELD™ 150D

Extremely light and easy to handle, WeatherShield™ 150D promises super-fast set-up and take-down every time. Highly durable and weather-resistant too, this lightweight material offers great value with no compromises.



### WEATHERSHIELD™ 68D

Super lightweight WeatherShield™ 68D offers the fastest set-up, take-down, and the smallest awning pack sizes. Highly weather-resistant, this easy to handle polyester offers exceptional value and advanced protection against UV degradation.

An Ultraviolet Protection Factor (UPF) denotes how much solar ultraviolet radiation is reduced when passing through fabric. Kampa Dometic awning material allows only 1/50th of ultraviolet rays to pass through, ensuring you're protected and kept cool.





/ ACE AIR  
/ GRANDE AIR  
/ RALLY AIR  
/ WINTER AIR  
/ SUNSHINE VW

# STATIC AWNINGS



Kempa | DOMETIC  
GRANDE AIR PRO  
390 XL





#### Fitting Heights

S: 235 - 250 cm  
L: 250 - 265 cm  
XL: 265 - 280 cm  
XXL: 280 - 295 cm

# ACE AIR ALL-SEASON

## AN AWNING FOR ALL SEASONS

The inflatable awning for all seasons. Constructed with hard-wearing Weathershield™ All-Season material, this generously sized motorhome awning provides masses of space and comfort. The Ace All-Season is packed full of features: heavy-duty QuickPitch™ straps,

a taut Dual-Pitch™ roof line and storm straps included as standard to make this awning perfect for year-round use. Conveniently zip-on the optional annexe for additional storage or sleeping accommodation.

### ACE AIR ALL-SEASON 400

**S / MH1006**

Ref. No. 9120000084

**L / MH1007**


Ref. No. 9120000085

**XL / MH1008**

Ref. No. 9120000086

**XXL / MH1009**

Ref. No. 9120000087



For full technical data see p. 56








### ZIP-OUT FRONT PANELS

Front panels can be zipped out to reduce weight and to open the awning up veranda style.



### MESH WINDOW

A large secondary mesh panel behind the right-hand side window provides welcome shade in hot weather.



### INTERNAL RETURN

Fold-out rear bumper pads create a tight seal to the motorhome side. Designed for use when attaching to a cassette awning.



### QUICKPITCH™ GUYING SYSTEM

Heavy-duty straps can be pegged out in seconds. Peg the bottom strap taut and adjust the top buckle to apply tension.



### STORM STRAPS

Included as standard with this awning, storm straps add stability and improve performance in adverse weather conditions.




### SINGLE POINT INFLATION

Single Point Inflation AirFrame awnings inflate entirely from just one external inflation point.



### WEATHERSHIELD™ ALL-SEASON

Ultra-rugged and UV resistant All-Season material, perfect for touring in warmer climates and for use on a seasonal pitch. The fully breathable fabric is constructed to handle extremes of weather and has been tested in the wettest regions of Europe and the sunniest parts of Australia to ensure it never lets you down.







# GRANDE AIR PRO

DOUBLE THE LIVEABLE SPACE OF YOUR PITCH

QuickPitch™ webbing straps, roll-to-side front panels, Weathershield™ Pro fabric and Single Point Inflation are just some of the superb features that make the Grande AIR Pro the perfect complement to your motor-

home. Its generous 3 m depth and Dual-Pitch™ roof creates a wonderful sense of space, making it ideal for long luxurious breaks.



## QUICKPITCH™ GUYING SYSTEM

Heavy-duty straps can be pegged out in seconds. Peg the bottom strap taut and adjust the top buckle to apply tension.



## DUAL-PITCH™ ROOF SYSTEM

Increases headroom, ensures effective wind deflection and efficiently sheds rain water.



## SINGLE POINT INFLATION

Conveniently inflate the entire AirFrame from just one external inflation point.



## GRANDE AIR PRO 390

### S / MH1001

Ref. No. 9120000088

### L / MH1002

Ref. No. 9120000089

### XL / MH1003

Ref. No. 9120000090

### XXL / MH1004

Ref. No. 9120000091

### XXXL / MH1005

Ref. No. 9120000092

#### Fitting Heights


S: 235 - 250 cm

L: 250 - 265 cm

XL: 265 - 280 cm

XXL: 280 - 295 cm

XXXL: 295 - 310 cm



For full technical data see p. 57



## WEATHERSHIELD™ PRO

The iconic Kampa Dometic fabric used extensively throughout the awning range has proven quality in diverse environments. With the look and feel of a traditional fabric, but weighing far less, Weathershield™ Pro continues to be the definitive choice for tourers the world over.

## INTERNAL RETURN

Kampa Dometic awnings have been designed from top to bottom to enhance your touring experience. The internal return is designed for use when attaching to a cassette awning, this effective feature ensures the best possible fit from your awning to your motorhome.

Simply undo the velcro tab and fold the rear bumper pads out to create a tight seal to the motorhome side, secure with the supplied rear upright poles.







**Fitting Heights**

S: 235 - 250 cm

L: 250 - 265 cm

XL: 265 - 280 cm

XXL: 280 - 295 cm

# RALLY AIR PRO

## TOURING CHANGED FOREVER

The iconic Rally AIR Pro benefits from years of continuous design improvements and is packed full of the latest awning innovations to enhance your touring experience. Its Weathershield™ Pro material, crystal clear windows and additional ventilation create a comfortable living space wherever you pitch-up. Not forgetting Kampa Dometic's unique Single Point Inflation system and QuickPitch™ webbing straps which ensure a fast and easy set-up every time.

Easily swap the interchangeable side panels for up to two zip-on annexes – with the Rally AIR Pro, friends and family are always welcome! Ideal for weekend breaks and longer holidays, this versatile awning can be tailored to your needs with mesh panel sets, storm straps and many more accessories.



### QUICKPITCH™ GUYING SYSTEM

Heavy-duty straps can be pegged out in seconds. Peg the bottom strap taut and adjust the top buckle to apply tension.



### SINGLE POINT INFLATION

Conveniently inflate the entire AirFrame from just one external inflation point.



### INTERNAL RETURN

Fold-out rear bumper pads create a tight seal to the motorhome side. Designed for use when attaching to a cassette awning.



## RALLY AIR PRO 260

### S / CE7201

Ref. No. 9120000097

### L / CE7202


Ref. No. 9120000098

### XL / CE7203

Ref. No. 9120000099

### XXL / CE7204

Ref. No. 9120000100



For full technical data see p. 58

## RALLY AIR PRO 330

### S / CE7205

Ref. No. 9120000093

### L / CE7206


Ref. No. 9120000094

### XL / CE7207


Ref. No. 9120000095

### XXL / CE7208

Ref. No. 9120000096



For full technical data see p. 59







# WINTER AIR PVC 260

NOW THERE'S NO OFF-SEASON

The world's first inflatable winter awning, Winter AIR PVC comes complete with snow support poles, a double mud wall, storm straps and tarzan pegs as standard. Its super tough Weathershield™ PVC

material ensures this awning stands up to the most extreme snowy conditions. While the new triple beading means this awning is equally suited to both motorhomes and caravans.

## PREPARED FOR ANYTHING

The Winter AIR PVC has been designed from top to bottom to support your winter adventures. In anticipation of the demanding weather conditions you may face, the world's first purpose built inflatable winter awning has everything you need to thrive in the most challenging of conditions.

### Included with the awning as standard:

- 2 x Rear upright poles
- 2 x Snow support poles
- Roof lining
- Storm straps
- Draught skirt
- Downdraught hand pump
- Tarzan pegs







### SINGLE POINT INFLATION

Conveniently inflate the entire AirFrame from just one external inflation point.



### APEX VENTILATION

Weather protected apex ventilation improves comfort by allowing warm air to escape, increasing air circulation and reducing condensation inside the awning.



### TRIPLE BEADING


Features 4 mm, 6 mm & 7 mm beading as standard, allowing secure fitment to both caravan awning rails and motorhome cassette awnings.

## WINTER AIR PVC 260

**S / AW1016**

**L / AW1017**

Ref. No. 9120000007 Ref. No. 9120000008



For full technical data see p. 60



### WEATHERSHIELD™ PVC

Constructed with 400g/m<sup>2</sup> PVC, this super tough awning material is waterproof, long-lasting and easy to clean. Developed by Kampa Dometic for winter touring, WeatherShield™ PVC is rated to -20 °C, more than a match for even the most extreme snowy conditions.







# SUNSHINE AIR PRO VW

## THE TRADITIONAL SUNSHADE MADE SIMPLER, SAFER AND SMARTER

This high-specification inflatable canopy for VW and other campervans is constructed using extra-high quality Weathershield™ Pro material for long life and protection from the sun. The Single

Point Inflation AirFrame features a 'pop' design at the rear for improved headroom. The optional side wall set offers extra shelter whilst retaining the function of the sliding door.



### SINGLE POINT INFLATION

Conveniently inflate the entire AirFrame from just one external inflation point.



### STORM STRAPS

Included as standard with this awning, storm straps add stability and improve performance in adverse weather conditions.



**NEW**

**Fitting Heights**  
180 - 210 cm



## SUNSHINE AIR PRO VW MH1010

Ref. No. 9120000201

For full technical data see p. 60

SinglePoint  
INFLATION



## WEATHERSHIELD™ PRO

The iconic Kampa Dometic fabric used extensively throughout the awning range has proven quality in diverse environments. With the look and feel of a traditional fabric, but weighing far less, WeatherShield™ Pro continues to be the definitive choice for tourers the world over.



OPTIONAL

### SIDE WALL SET

Additional side walls provide shelter from the elements. Side walls clip-on to the adjustable aluminium poles that feature in this set. Fits vehicles up to 195cm high.

Model No. AA0018





/ RALLY AIR T/G  
/ RALLY AIR D/A  
/ TOURING AIR  
/ MOTION AIR  
/ CROSS AIR  
/ CROSS AIR T/G  
/ ACTION  
/ TRIP  
/ TAILGATER

# DRIVE AWN





# -AWAY INGS







# DRIVE-AWAY ATTACHMENT OPTIONS

Kampa Dometic awnings are available in a range of heights, designed to fit vehicles from 180 to 300 cm in height. Specifically designed for secure attach to most motorhomes and campervans, maximise your awnings performance and your enjoyment of it.


So which best suits you and your van? Let's look at the options, starting with the guy line: Guy line, velcro loops and beading attachment methods are explained below.



## GUY LINE

The quickest method. Throw the guy lines, attached to the top corners of the tunnel, over the vehicle and either peg down on the other side or tie to the wheels. To drive-away, simply untie/unpeg and throw them back over.





### VELCRO LOOPS

Velcro straps are quick to attach to your vehicle's roof rails, if available. Connected from the top edge of the tunnel to the rail, simply release the hoops and drive away.




### DRIVE-AWAY KITS

Drive-away kits offer a secure way to attach your awning to your vehicle. Simply connect the figure-of-8 strip to the keder along one edge before attaching the pre-sewn awning beading along the other. To drive away, slide the figure-of-8 out of position and leave the awning free-standing on your pitch.



### DRIVE-AWAY KIT EXAMPLE



NEW


### TWIN DRIVE-AWAY KIT KEDER

Connect to the front channel of cassette awnings or a pre-installed awning rail. 4 mm and 6 mm twin keder drive-away kit. Available in 3 m and 4 m lengths.



### MAGNETIC DRIVE-AWAY KIT

6 mm keder to magnetic system. Guying loops included (guy lines not included). 3 m length.



### LIMPET™ SUCTION DRIVE-AWAY KIT

6 mm keder to Limpet™ Fix System. Supplied with six Limpet's. 3 m length.





# RALLY AIR PRO 240 T/G

## INFLATABLE DRIVE-AWAY TAILGATE AWNING


The new Rally Air Pro 240 T/G has been purpose built to fit onto panel van conversions with a rear barn door, simply open doors and let the living area flow into the awning. This new model's Dual-Pitch™

roof system offers masses of head room and allows you to leave it on site whilst you explore the local area.




**RALLY AIR PRO  
240 T/G  
MH2010**

Ref. No. 9120000101




For full technical data see p. 60





**Fitting Heights**  
220 - 275 cm



#### ADJUSTABLE AWNING TUNNEL

Adjustable height rear tunnel. Webbing straps take up material slack to ensure vehicle fitting.



#### SINGLE POINT INFLATION

Conveniently inflate the entire AirFrame from just one external inflation point.



#### QUICKPITCH™ GUYING SYSTEM

Heavy-duty straps can be pegged out in seconds. Peg the bottom strap taut and adjust the top buckle to apply tension.



#### MESH PANEL

A large mesh panel behind the right-hand side window provides relief in hot weather.



#### APEX VENTILATION

Weather protected apex ventilation allows warm air to escape, increasing air circulation and reducing condensation inside the awning.



#### ROLL-TO-SIDE FRONT PANEL

The front panels can be rolled to the side opening the front up, or alternatively zipped halfway down to let air in without compromising security.



#### WEATHERSHIELD™ PRO

The iconic Kampa Dometic fabric used extensively throughout the awning range has proven quality in diverse environments. With the look and feel of a traditional fabric, but weighing significantly less, WeatherShield™ Pro continues to be the definitive choice for tourers the world over.







# RALLY AIR D/A

## THE ULTIMATE DRIVE-AWAY AWNING

Designed to suit a wide range of motorhomes, Rally AIR D/A awnings allows you to leave your awning on site while you explore the local area. The Single Point Inflation AirFrame technology ensures a fast

set-up with minimum fuss. Simply connect the awning tunnel to your vehicle by throwing the attached webbing straps over the motorhome, or with the use of a drive-away kit.




**NEW**

### RALLY AIR ALL-SEASON 330 D/A MH2013

Ref. No. 9120000200

The new Weathershield™ All-Season version of the Rally AIR 330 Drive-Away combines a rugged seasonal pitch material with the easy to set up Single Point Inflation AirFrame. Zip-out front and side panels to use the awning veranda style and reduce the weight too.




#### ADJUSTABLE AWNING TUNNEL

Adjustable height rear tunnel to suit a wide range of vehicles. Webbing straps take up material slack to ensure a tight fit to your vehicle.



#### SINGLE POINT INFLATION

Conveniently inflate the entire AirFrame from just one external inflation point.




For full technical data see p. 61



## RALLY AIR PRO 260 VW D/A MH2001

Ref. No. 9120000102




Fitting Heights  
180 - 225 cm



## RALLY AIR PRO 260 D/A MH2011

Ref. No. 9120000103




Fitting Heights  
220 - 300 cm



## RALLY AIR PRO 330 D/A MH2002

Ref. No. 9120000104




Fitting Heights  
220 - 300 cm



## RALLY AIR PRO 390 D/A MH2003

Ref. No. 9120000105



Fitting Heights  
220 - 300 cm



For full technical data see p. 61







# TOURING AIR VW

## CAMP IN COMFORT

Designed to sit alongside your campervan, providing the maximum amount of space without extending beyond your pitch. Inside you'll find a spacious living area with plenty of light from windows, all with zip-up blinds, and three doors with mesh screens. A large four berth

inner tent is supplied as standard. Available in a left-hand (L/H) and right-hand (R/H) configuration. Zip-on the optional canopy and vestibules for even more space.




### TOURING AIR CLASSIC VW

**L/H / CE7226**

Ref. No. 9120000106

**R/H / CE7244**

Ref. No. 9120000107




### TOURING AIR VW

**L/H / CE7223**

Ref. No. 9120000108

**R/H / CE7245**

Ref. No. 9120000109



For full technical data see p. 62



WeatherShield™ Classic material reduces condensation and helps regulate the interior temperature of the Touring AIR Classic.



WeatherShield™ 150D ensures super-fast set-up and take-down every time. It's extremely durable and weather resistant too.





### Fitting Heights

VW: 180 - 210 cm

L: 205 - 235 cm

XL: 230 - 295 cm

# MOTION AIR

## SATISFYING YOUR TOURING NEEDS

A high specification awning offering versatility, function and great value. The Multi Point inflation AirFrame provides ample head room and space. While the cleverly designed front 'D' door, with mesh

screen, can be half or fully rolled back to suit your needs. Remove the left hand side panel and zip-in the optional two-berth annexe to conveniently accommodate guests.

### MOTION AIR

#### VW / MH2004


Ref. No. 9120000110

#### L / MH2005

Ref. No. 9120000111

#### XL / MH2006

Ref. No. 9120000112



For full technical data see p. 63



#### OPTIONAL

### MOTION AIR CANOPY

This optional front canopy simply zips onto the awning for additional overhead cover.

Model No. CE7170

For full technical data see p. 66




#### OPTIONAL

### MOTION AIR ANNEXE

Complete with inner tent, this optional annexe is great for extra guests, pets and storage.

Model No. AA0004

For full technical data see p. 67



#### OPTIONAL

### MOTION INNER TENT

Add sleeping space to your awning with an inner tent. Breathable two-berth inner tents simply toggle in.

Model No. AA3006





# CROSS AIR

## PRACTICALITY MEETS VERSATILITY



Utilising the convenience of the innovative Kampa Dometic AirFrame, Cross AIR features a spacious living area and steep walls to provide ample useable space. The cleverly designed front panel incorporates a 'D' door that can be half or fully rolled back, plus cover from a large

canopy for weather protected access. The Cross AIR comes with a clip-in groundsheet, windows with blinds for privacy, and mesh panels throughout.

### CROSS AIR

#### VW / MH2007


Ref. No. 9120000113

#### L / MH2008

Ref. No. 9120000114

#### XL / MH2009

Ref. No. 9120000115



#### Fitting Heights

VW: 180 - 210 cm  
L: 205 - 235 cm  
XL: 230 - 295 cm



#### OPTIONAL

#### CROSS AIR ANNEXE

Complete with inner tent, this optional annexe is great for extra guests, pets and storage.


Model No. AA0005

For full technical data see p. 67



#### MULTI POINT INFLATION

Durable AirPoles are inflated individually for the simplest set-up and take-down.



#### WEATHERSHIELD™ 150D

Extremely durable and weather resistant Weathershield™ 150D polyester.



# CROSS AIR VW T/G




## CONVENIENT COMFORT FOR MOBILE LIVES

Building on the success of the popular Cross AIR VW, this tailgate awning allows the living area of the van to flow smoothly into the awning. The Weathershield 150D material keeps its weight and pack

size to a minimum, while the sturdy Multi Point Inflation AirFrame ensures quick set-up and reliable protection from the elements. Zip-on the optional sleeping annexe to accommodate guests.

### CROSS AIR VW T/G MH2012

Ref. No. 9120000116



For full technical data see p. 64



#### OPTIONAL

### CROSS AIR ANNEXE

Complete with inner tent, this optional annexe is great for extra guests, pets and storage.

Model No. AA0005

For full technical data see p. 67



### ADJUSTABLE AWNING TUNNEL

Adjustable height rear tunnel. Webbing straps take up material slack to ensure vehicle fitting.



### MULTI POINT INFLATION

Durable AirPoles are inflated individually for the simplest set-up and take-down.





# ACTION

## READY TO FOLLOW YOU ANYWHERE

Ideal for campers who stay on the go. The Action is a free-standing awning allowing you to drive-away while still reserving your pitch on site. Boasting a large living area and full height windows with privacy

blinds, the awning comes with a fully waterproof clip-in groundsheet and a large protective canopy. Toggle-in the optional inner tent to accommodate guests. Fibreglass and AirFrame models available.

### Fitting Heights

VW: 180 - 210 cm  
L: 205 - 235 cm  
XL: 230 - 295 cm

### Fitting Height

180 - 210 cm


**NEW**

### ACTION AIR

**VW / CE7161**  
Ref. No. 9120000117

**L / CE7162**  
Ref. No. 9120000118

**XL / CE7164**  
Ref. No. 9120000119



For full technical data see p. 64


### ACTION VW MH0001

Ref. No. 9120000121



### DYNAFLEX FIBREGLASS POLES

Tough, high quality fibreglass poles combine strength with flexibility.



For full technical data see p. 65



# TRIP VW

ALWAYS ON THE MOVE

Ideal for weekend adventurers needing a quick shelter. The Trip guarantees a fast set-up and take-down, even when touring solo. Complete with a clip-in waterproof groundsheet, two full-height


windows with roll down blinds and a large roll-to-side front door. The connecting tunnel has a convenient side door for easy access. Fibreglass and AirFrame models available.

Fitting Height  
180 - 210 cm

NEW


## TRIP AIR VW CE7220

Ref. No. 9120000120



## TRIP VW MH0002

Ref. No. 9120000122



### DYNAFLEX FIBREGLASS POLES

Tough, high quality fibreglass poles combine strength with flexibility.

For full technical data see p. 65



# TAILGATER

## UPGRADE YOUR ADVENTURE

A universal fit awning for vehicles with a rear tailgate such as SUV's, MPV's, crossovers, large estate cars and pick-up trucks fitted with a hardtop. Weathershield™ 68D material ensures lasting durability and lightweight handling. Simply clip-in the optional two-berth inner tent to accommodate guests. Easy to attach and disconnect, conveniently zip close the Tailgater while you go out and explore. Fibreglass and AirFrame models available.



Fitting Height

160 - 210 cm


Fitting Width

160 - 220 cm



### TAILGATER AIR CE7234

Ref. No. 9120000138




### TAILGATER CE7232

Ref. No. 9120000139



#### DYNAFLEX FIBREGLASS POLES

Tough, high quality fibreglass poles combine strength with flexibility.



For full technical data see p. 65



#### ADJUSTABLE AWNING TUNNEL

Adjust the height and width of the connecting tunnel. Webbing straps take up material slack to ensure secure fitting.



#### MESH PANEL

A large mesh panel behind the side window provides relief in hot weather.



#### WET WEATHER ENTRANCE

Sheltered access to the awning preventing rain running in when you unzip the door.



/ STORE  
/ AIR BREAK  
/ PRO WINDBREAK  
/ CANOPIES & VESTIBULES  
/ ANNEXES  
/ INNER TENTS  
/ ROOF LININGS  
/ MESH PANELS  
/ CARPETS & FOOTPRINTS  
/ BESPOKE AWNING EQUIPMENT  
/ FURNITURE

# ACCESSORIES





# STORE PVC

## THE WORLD'S FIRST INFLATABLE STORAGE TENT

The generous dimensions of the Kampa Dometic Store PVC makes it ideal for keeping your awning clear of furniture and bikes, or for creating the ultimate camping kitchen. Its durable Weathershield™ PVC construction allows you to explore off-site with the confidence your gear is safe and well protected from the elements. For extra security, up to four optional storm tie-down straps can be fitted. Available with an aluminium or inflatable AirFrame.




### STORE AIR PVC CT9037

Ref. No. 9120000432



For full technical  
data see p. 66





### STORE PVC CT9036

Ref. No. 9120000435



#### DYNALITE ALUMINIUM POLES

Tough, high quality aluminium poles are both lightweight and strong.




#### PRIVACY WINDOW

Diffusing the sun's rays to ensure the Store retains a light, airy feel without overheating and compromising privacy.



#### ROLL-UP SIDE PANELS

Allows easy access to larger items, such as furniture and bikes.



#### WEATHERSHIELD™ PVC

400g/m² Weathershield™ PVC is tough, waterproof and easy to clean.



# AIR BREAK

THE WORLD'S FIRST INFLATABLE WINDBREAK



Never has a windbreak been so easy to set-up. Simply peg and pump to enjoy the AIR Break's free-standing protection or connect it to the front of Kampa Dometic awnings to create a fully enclosed area – great for keeping dogs in. Utilising a unique AirFrame system with

easy Single Point Inflation, the AIR Break remains sturdy yet flexible in the wind. Available in Weathershield™ Pro fabric and new for 2020, Weathershield™ All-Season material, this windbreak complements your awning perfectly.



**AIR BREAK PRO 3**  
**WB0004**

Ref. No. 9120000280



**AIR BREAK PRO 5**  
**WB0005**

Ref. No. 9120000354




**AIR BREAK ALL-SEASON 3**  
**WB0008**

Ref. No. 9120000290




**AIR BREAK ALL-SEASON 5**  
**WB0009**

Ref. No. 9120000291



AIR BREAK 3



AIR BREAK 5

## AIR BREAK FITTING CHART

Model	Awning Width	AIR Break Depth
AIR Break 3	200 cm	200 cm
AIR Break 3	260 cm	195 cm
AIR Break 3	300 cm	190 cm
AIR Break 3	330 cm	185 cm
AIR Break 5	330 cm	275 cm
AIR Break 5	390 cm	250 cm
AIR Break 5	450 cm	240 cm
AIR Break 5	500 cm	230 cm

For full technical data see p. 66





# PRO WINDBREAK

## VITAL PROTECTION FROM THE WIND

Quick to set-up and supported with adjustable support bars, the Pro Windbreak is the perfect addition to your awning. The full aluminium frame is lightweight and corrosion-resistant. Connect multiple Pro

Windbreaks together using figure-of-8 strips (AC0325) to create a larger protected area, and enclose the area with zipped access using the Pro Windbreak Door – ideal for pets.



### PRO WINDBREAK 1 WB0007

Ref. No. 9120000355



### PRO WINDBREAK 3 WB0001

Ref. No. 9120000356



### PRO WINDBREAK 5 WB0002

Ref. No. 9120000357

For full technical  
data see p. 66



### PRO WINDBREAK DOOR WB0003

Ref. No. 9120000358

The perfect addition to the Pro Windbreak 3 & 5. The Pro Windbreak Door allows you to join two Pro Windbreaks to create an enclosed area, with zipped access.




# CANOPIES & VESTIBULES

OPTIONAL FRONT CANOPIES AND VESTIBULES SIMPLY ZIP ONTO  
YOUR AWNING FOR ADDITIONAL OVERHEAD COVER



## ACE PRO 400 SUN WING CE7026

Ref. No. 9120000063



## MOTION AIR CANOPY CE7170

Ref. No. 9120000123


Touring AIR Canopies & Vestibules	Model No.
Touring Classic AIR Canopy	CV3103
Touring AIR Canopy	CV3030
Touring Classic AIR Vestibule	CV3128
Touring AIR Vestibule	CV3031
Touring AIR Mesh Vestibule	CV3130

For full technical data see p. 67



### VESTIBULES

Optional vestibules zip onto the front panel, enclosing the front and providing additional cover. Complete with clip-in groundsheet.







# ANNEXES

EXTEND YOUR AWNING WITH AN ANNEXE, GREAT FOR EXTRA GUESTS, PETS AND STORAGE



## ALL-SEASON AIR TALL ANNEXE

Complete with inner tent and zipped wall.  
Model No. CE7378



## PRO AIR TALL ANNEXE

Complete with inner tent and zipped wall.  
Model No. CE7379



## PRO AIR ANNEXE

Complete with inner tent.  
Pro AIR / Model No. CE7311



## PRO AIR CONSERVATORY

Complete with zipped wall.  
Model No. CE7380



## MOTION AIR ANNEXE

Complete with inner tent.  
Model No. AA0004



## CROSS AIR ANNEXE

Complete with inner tent.  
Model No. AA0005

For full technical data see p. 67

For full technical data see p. 67

For full technical data see p. 67

# INNER TENTS

CONVENIENTLY ADD SLEEPING SPACE TO YOUR AWNING WITH A BREATHABLE INNER TENT

## RALLY AIR 240 T/G INNER TENT

Model No. AA3007

## UNIVERSAL INNER TENT

Model No. CE7401

## MOTION INNER TENT

Model No. AA3006

## ACTION INNER TENT

Model No. CE7403

## TAILGATER AIR INNER TENT

Model No. CE7243

## TAILGATER INNER TENT

Model No. CE7242







# ROOF LININGS

**INSULATE THE ROOF AND REGULATE THE INTERIOR TEMPERATURE. ZIPPED ROOF LININGS PROVIDE OPTIONAL SKY LIGHT COVER**

Roof Lining	Code
Ace AIR 400 S	AA1014
Ace AIR 400 L	AA1015
Ace AIR 400 XL	AA1016
Ace AIR 400 XXL	AA1017
Grande AIR 390 S	AA1009
Grande AIR 390 L	AA1010
Grande AIR 390 XL	AA1011
Grande AIR 390 XXL	AA1012
Grande AIR 390 XXXL	AA1013
Rally AIR 260 S	CE7423
Rally AIR 260 L	CE7424
Rally AIR 260 XL	CE7425
Rally AIR 260 XXL	CE7426
Rally AIR 330 S	CE7427
Rally AIR 330 L	CE7428
Rally AIR 330 XL	CE7429
Rally AIR 330 XXL	CE7430
Rally AIR 240 T/G	AA1020
Rally AIR 260 D/A VW	AA1007
Rally AIR 260 D/A	AA1019
Rally AIR 330 D/A	CE7455
Rally AIR 390 D/A	AA1008



Recommended for early and late season use to minimise the effects of condensation.



# MESH PANEL PROTECTION

SIMPLY ZIP THE MESH IN BEHIND THE AWNING PANEL TO KEEP INSECTS OUT AND ADD SHADED COMFORT

## ACE AIR 400 MESH PANEL SET

Model No. CE7408

## RALLY AIR 240 T/G MESH PANEL

Model No. AA2005

## RALLY AIR 260 MESH PANEL SET

Model No. CE7392

## RALLY AIR 330 MESH PANEL SET

Model No. CE7393

## RALLY / GRANDE AIR 390 MESH PANEL SET

Model No. CE7394






# CARPETS & FOOTPRINTS

TRANSFORM YOUR AWNING INTO A TRUE EXTENSION  
OF YOUR VEHICLE'S INTERIOR SPACE



**CONTINENTAL  
CARPET**



**EASY TREAD  
CARPET**



**FLEECE  
CARPET**



**FOOTPRINT**



**NEW**

## CARPETS

Each carpet is hardwearing, UV stabilised and tailored to fit your awning.

Model	Continental Carpet	Easy Tread Carpet	Fleece Carpet
Ace 400	111734	111130	-
Grande 390	111756	-	-
Rally 240 T/G	111771	-	-
Rally 260	111722	111122	-
Rally 330	111724	111123	-
Rally 390	111726	111124	-
Winter 260	111770	-	-
Annexe	111774	-	-
Touring	-	-	CC3034
Motion	-	-	CC0126
Cross	-	-	CC0127
Cross T/G	-	-	CC3058
Action	-	-	CC0123
Trip	-	-	CC3047
Tailgater AIR	-	-	CC3056
Tailgater	-	-	CC3054

## FOOTPRINTS

Tough non-breathable awning footprints reduce condensation when pitched on wet ground.

Model	Footprint
Ace 400	AA4009
Grande 390	AA4006
Rally 240 T/G	AA4022
Rally 260	AA4002
Rally 330	AA4003
Rally 390	AA4004
Winter 260	AA4021
Annexe	AA4025
Touring	CF0057
Motion	CF3057
Cross	CF3053
Cross T/G	CF3058
Action	CF3051
Trip	CF3050
Tailgater AIR	CF3055
Tailgater	CF3056

# BESPOKE AWNING EQUIPMENT



## STORM TIE DOWN KIT

Strong webbing straps for use in strong winds. Supplied in pairs.

**NEW!** Green / Model No. AA9001

**NEW!** Grey / Model No. AA9002



## DUAL FIX DRAUGHT SKIRT

Prevents draughts coming under your vehicle. Fixes using the Limpet™ Fix System. Three pegging heights, 70 cm drop.

400 cm / Model No. AC0413

330 cm / Model No. AC0412

260 cm / Model No. AC0411



## AWNING RAIL STOPPER

Screw into your awning rail to prevent the awning from sliding. Supplied in pairs.

6mm / Model No. AC0301

7mm / Model No. AC0302



## PACKING PADS

Shed water better by filling the gap between the AirPoles and the vehicle to create a tauter roof. Supplied in packs of eight.

Model No. CE7300



Hanging Storage	Model No.
Awning Hanging Rail	CE740355
AccessoryTrack™ Hanging Rail	CE740357
AccessoryTrack™ Awning Organiser	CE740359
AccessoryTrack™ Pro Awning Organiser	CE7460

Draught Skirts	Model No.
Single Wheel Arch Cover - Grey	AC0330
Single Wheel Arch Cover - Black	AC0331
Double Wheel Arch Cover - Grey	AC0332
Double Wheel Arch Cover - Black	AC0333
Pro Organiser Skirt	AC0304

Repair Products	Model No.
Repair Tape	CA9001
Inflatable Repair Kit	CA9009
Repair Solution	CA9011
Seam Sealant	CA9013
Tent & Awning Repair Kit	CA9015





### GALE ELECTRIC PUMP

12V Electric Pump. Suitable for all AirFrame products.


Gale Electric Pump / Model No. PU0165  
Gale Carry Bag / Model No. PU0166



### DOWNDRAUGHT 2.2

2.2 l one-way manual hand pump supplied with all Single Point Inflation AIR awnings.

Model No. PU0209



### LIMPET™ FIX KIT

Fix the rear wall of your awning to your vehicle by simply attaching the limpet through the pre-cut holes in the rear of the awning and fastening to smooth surface. Suitable for most awnings. Supplied in packs of eight.

Limpet™ Fix Kit / Model No. AC0320  
Limpet™ Hole Punch / Model No. AC0322

## DRIVE-AWAY AWNING ATTACHMENT OPTIONS

Optional drive-away kits are available to attach your awning to your vehicle



### TWIN DRIVE-AWAY KIT

4 mm and 6 mm twin keder drive-away kit. Available in 3 & 4 m lengths.

3 m / Model No. AC0334  
4 m / Model No. AC0335



### MAGNETIC DRIVE-AWAY KIT

6 mm keder to magnetic system. Guying loops included (guy lines not included). 3 m length.

Model No. AC0308



### LIMPET™ SUCTION DRIVE-AWAY KIT

6mm keder to Limpet™ Fix System. Supplied with six Limpet's. 3 m length.

Model No. AC0313



## SABRELINK™ AWNING LIGHTING

Remote controlled LED lighting designed to complement AirFrame awnings

**SabreLINK**  
SYSTEM



### SABRELINK™ 150

Link up to three lights together. Operated using a remote control to adjust brightness and turn on/off. Complete with mains adaptor in Starter Kit.

Starter Kit / Model No. LG1031

Starter Kit EU / Model No. LG1031E

Add-On Kit / Model No. LG1032

Connection Lead / Model No. LG1027

12V Adaptor Lead / Model No. LG1039

### SABRELINK™ 150 CARRY BAG

Store and protect up to three SabreLink 150 LED units.

Carry Bag / Model No. LG1029

### SABRELINK™ FLEX

Link up to three lights together. Operated using a remote control to adjust brightness and turn on/off. Complete with mains adaptor in Starter Kit.

Starter Kit / Model No. LG1051

Starter Kit EU / Model No. LG1051E

Add-On Kit / Model No. LG1052





# CHAIRS



## LUSSO MILANO STEEL BLUE

Chair / Model No. FT0359  
Footrest / Model No. FT0360



NEW

## QUATTRO MILANO STEEL BLUE

Model No. FT0365



## LUSSO MILANO PEBBLE GREY

Chair / Model No. FT0361  
Footrest / Model No. FT0362



NEW

## QUATTRO MILANO PEBBLE GREY

Model No. FT0366



## LUSSO MILANO WILD HEATHER

Chair / Model No. FT0363  
Footrest / Model No. FT0364



NEW

## QUATTRO MILANO WILD HEATHER

Model No. FT0367



NEW

## LUSSO MILANO PRO BLACK

Chair / Model No. FT0368  
Footrest / Model No. FT0370



NEW

## QUATTRO MILANO PRO BLACK

Model No. FT0369



NEW

## LUSSO ROMA

Chair / Model No. FT0372  
Footrest / Model No. FT0374



NEW

## QUATTRO ROMA

Model No. FT0373



**CONSUL  
FIRENZE**  
Model No. FT0371



**COMFORT  
FIRENZE**  
Model No. FT0300



**LUXURY FIRENZE**  
Chair / Model No. FT0302  
Footrest / Model No. FT0314



**LUXURY PLUS  
FIRENZE**  
Model No. FT0304



**LOUNGE  
FIRENZE**  
Model No. FT0306



**SERENE  
FIRENZE**  
Model No. FT0308



**OPULENCE  
FIRENZE**  
Model No. FT0310



**STABLE  
FIRENZE**  
Model No. FT0312



**COMFORT  
MODENA**  
Model No. FT0316



**LUXURY MODENA**  
Chair / Model No. FT0318  
Footrest / Model No. FT0328



**LUXURY PLUS  
MODENA**  
Model No. FT0320



**LOUNGE  
MODENA**  
Model No. FT0322



**STABLE  
MODENA**  
Model No. FT0326



**OPULENCE  
MODENA**  
Model No. FT0324



# TABLES



## HI-LO

**Medium** – Width 80 cm | Depth 60 cm |  
Height 55 - 76 cm / Model No. TA0564

**Large** – Width 119 cm | Depth 79 cm |  
Height 55 - 76 cm / Model No. TA0566



## ELEMENT

**Medium** – Width 80 cm | Depth 60 cm |  
Height 55 - 71 cm / Model No. TA2002

**Large** – Width 115 cm | Depth 70 cm |  
Height 55 - 71 cm / Model No. TA2004



## AWNING TABLE

Width 110 cm | Depth 70 cm | Height 72 cm  
/ Model No. TA1421



## ZERO OAK

**Medium** – Width 80 cm | Depth 60 cm |  
Height 59 - 72 cm / Model No. TA2016

**Large** – Width 120 cm | Depth 70 cm |  
Height 59 - 72 cm / Model No. TA2018



## ZERO CONCRETE

**Medium** – Width 90 cm | Depth 60 cm |  
Height 59 - 72 cm / Model No. TA2019

**Large** – Width 120 cm | Depth 70 cm |  
Height 59 - 72 cm / Model No. TA2020



## ZERO CONCRETE OVAL

Width 140 cm | Depth 90 cm | Height 59 - 72 cm  
/ Model No. TA2021



## BAMBOO LARGE

Width 100 cm | Depth 70 cm |  
Height 54 - 71.5 cm / Model No. TA2022

NEW



# CUPBOARDS & WARDROBES

NEW



**SUSIE**

Width 59 cm | Depth 48 cm | Height 140 cm  
/ Model No. ST0114

NEW



**ROSIE**

Width 59 cm | Depth 48 cm | Height 104 cm  
/ Model No. ST0115

NEW



**TILLY**

Width 60.5 cm | Depth 51.5 cm | Height 66 cm  
/ Model No. ST0109

NEW



**AMBER**

Width 60 cm | Depth 50.5 cm | Height 99 cm  
/ Model No. ST0110

NEW



**GRACE**

Width 60 cm | Depth 51.5 cm | Height 120 cm  
/ Model No. ST0111

NEW



**ZARA**

Width 110 cm | Depth 53.5 cm | Height 90 cm  
/ Model No. ST0112

NEW



**MADDIE**

Width 90 cm | Depth 67 cm | Height 140 cm  
/ Model No. ST0113







**TECHNICAL DATA**

**INFLATABLE AWNINGS**

**ACE AIR ALL-SEASON 400**

	Ace AIR All-Season 400 S	Ace AIR All-Season 400 L	Ace AIR All-Season 400 XL	Ace AIR All-Season 400 XXL
<b>Product name</b>	Ace AIR All-Season 400 S	Ace AIR All-Season 400 L	Ace AIR All-Season 400 XL	Ace AIR All-Season 400 XXL
<b>Model no.</b>	MH1006	MH1007	MH1008	MH1009
<b>Ref. no.</b>	9120000084	9120000085	9120000086	9120000087
<b>Awning width (cm)</b>	400	400	400	400
<b>Awning depth (cm)</b>	300	300	300	300
<b>Highest point at front (cm)</b>	185	185	185	185
<b>Connection height (cm)</b>	235 - 250	250 - 265	265 - 280	280 - 295
<b>Connection width (cm)</b>	410	410	410	410
<b>Pack size (L x W x H cm)</b>	99 x 56 x 39 / 110 x 23 x 17	99 x 56 x 39 / 110 x 23 x 17	99 x 56 x 39 / 110 x 23 x 17	99 x 56 x 39 / 110 x 23 x 17
<b>Weight (kg)</b>	28/9.82	28.2/9.82	28.6/9.82	29.6/9.82
<b>Min. Weight (kg)</b>	20.74	20.94	21.34	22.34
<b>Material</b>	Weathershield™ All-Season	Weathershield™ All-Season	Weathershield™ All-Season	Weathershield™ All-Season

**/ Key features**


<b>Single Point Inflation™</b>	•	•	•	•
<b>Dual-Pitch™ roof system</b>	•	•	•	•
<b>QuickPitch™ guying system</b>	•	•	•	•
<b>Limpet™ ready</b>	•	•	•	•
<b>SabreLink™ ready</b>	•	•	•	•
<b>Double mud wall</b>	–	–	–	–
<b>Flyscreen panels</b>	R/H window L/H & R/H doors	R/H window L/H & R/H doors	R/H window L/H & R/H doors	R/H window L/H & R/H doors
<b>Zip-out front panels</b>	•	•	•	•
<b>Roll-to-side front panels</b>	•	•	•	•
<b>Zip-out side panels</b>	•	•	•	•
<b>Curtains / Blinds</b>	Curtains	Curtains	Curtains	Curtains

**/ Scope of delivery**

<b>Draught skirt</b>	–	–	–	–
<b>Hand pump</b>	•	•	•	•
<b>Pegs</b>	•	•	•	•
<b>Storm straps</b>	•	•	•	•

**/ Optional extras**

<b>All-Season AIR tall annexe</b>	CE7378	CE7378	CE7378	CE7378
<b>Pro AIR tall annexe</b>	–	–	–	–
<b>Pro AIR annexe</b>	–	–	–	–
<b>Pro AIR conservatory</b>	–	–	–	–
<b>Canopy / Sunwing</b>	CE7026	CE7026	CE7026	CE7026
<b>Mesh panel set</b>	CE7408	CE7408	CE7408	CE7408
<b>Side wall set</b>	–	–	–	–
<b>Continental carpet</b>	111734	111734	111734	111734
<b>Easy tread carpet</b>	111130	111130	111130	111130
<b>Roof lining</b>	AA1014	AA1015	AA1016	AA1017

TECHNICAL DATA					
	GRANDE AIR PRO 390				
INFLATABLE AWNINGS					
Product name	Grande AIR Pro 390 S	Grande AIR Pro 390 L	Grande AIR Pro 390 XL	Grande AIR Pro 390 XXL	Grande AIR Pro 390 XXXL
Model no.	MH1001	MH1002	MH1003	MH1004	MH1005
Ref. no.	9120000088	9120000089	9120000090	9120000091	9120000092
Awning width (cm)	390	390	390	390	390
Awning depth (cm)	300	300	300	300	300
Highest point at front (cm)	185	185	185	185	185
Connection height (cm)	235 - 250	250 - 265	265 - 280	280 - 295	295 - 310
Connection width (cm)	400	400	400	400	400
Pack size (L x W x H cm)	99 x 56 x 35	99 x 56 x 35	99 x 56 x 35	99 x 56 x 35	99 x 56 x 37
Weight (kg)	29	29.4	29.8	30.5	31
Min. Weight (kg)	18.88	19.28	19.68	20.38	20.88
Material	Weathershield™ Pro	Weathershield™ Pro	Weathershield™ Pro	Weathershield™ Pro	Weathershield™ Pro
/ Key features					
Single Point Inflation™	•	•	•	•	•
Dual-Pitch™ roof system	•	•	•	•	•
QuickPitch™ guying system	•	•	•	•	•
Limpet™ ready	•	•	•	•	•
SabreLink™ ready	•	•	•	•	•
Double mud wall	–	–	–	–	–
Flyscreen panels	R/H window L/H & R/H doors	R/H window L/H & R/H doors	R/H window L/H & R/H doors	R/H window L/H & R/H doors	R/H window L/H & R/H doors
Zip-out front panels	–	–	–	–	–
Roll-to-side front panels	•	•	•	•	•
Zip-out side panels	•	•	•	•	•
Curtains / Blinds	Curtains	Curtains	Curtains	Curtains	Curtains
/ Scope of delivery					
Draught skirt	–	–	–	–	–
Hand pump	•	•	•	•	•
Pegs	•	•	•	•	•
Storm straps	–	–	–	–	–
/ Optional extras					
All-Season AIR tall annexe	–	–	–	–	–
Pro AIR tall annexe	CE7379	CE7379	CE7379	CE7379	CE7379
Pro AIR annexe	CE7311	CE7311	CE7311	CE7311	CE7311
Pro AIR conservatory	CE7380	CE7380	CE7380	CE7380	CE7380
Canopy / Sunwing	–	–	–	–	–
Mesh panel set	CE7394	CE7394	CE7394	CE7394	CE7394
Side wall set	–	–	–	–	–
Continental carpet	111756	111756	111756	111756	111756
Easy tread carpet	–	–	–	–	–
Roof lining	AA1009	AA1010	AA1011	AA1012	AA1013





**TECHNICAL DATA**

**INFLATABLE AWNINGS**

**RALLY AIR PRO 260**

	Rally AIR Pro 260 S	Rally AIR Pro 260 L	Rally AIR Pro 260 XL	Rally AIR Pro 260 XXL
<b>Product name</b>	Rally AIR Pro 260 S	Rally AIR Pro 260 L	Rally AIR Pro 260 XL	Rally AIR Pro 260 XXL
<b>Model no.</b>	CE7201	CE7202	CE7203	CE7204
<b>Ref. no.</b>	9120000097	9120000098	9120000099	9120000100
<b>Awning width (cm)</b>	260	260	260	260
<b>Awning depth (cm)</b>	250	250	250	250
<b>Highest point at front (cm)</b>	185	185	185	185
<b>Connection height (cm)</b>	235 - 250	250 - 265	265 - 280	280 - 295
<b>Connection width (cm)</b>	270	270	270	270
<b>Pack size (L x W x H cm)</b>	99 x 56 x 27	99 x 56 x 27	99 x 56 x 27	99 x 56 x 29
<b>Weight (kg)</b>	22.7	23	23.4	24
<b>Min. Weight (kg)</b>	13.3	13.6	14	14.6
<b>Material</b>	Weathershield™ Pro	Weathershield™ Pro	Weathershield™ Pro	Weathershield™ Pro

**/ Key features**


<b>Single Point Inflation</b>	•	•	•	•
<b>Dual-Pitch™ roof system</b>	•	•	•	•
<b>QuickPitch™ guying system</b>	•	•	•	•
<b>Limpet™ ready</b>	•	•	•	•
<b>SabreLink™ ready</b>	•	•	•	•
<b>Flyscreen panels</b>	R/H window L/H & R/H doors	R/H window L/H & R/H doors	R/H window L/H & R/H doors	R/H window L/H & R/H doors
<b>Zip-out front panels</b>	–	–	–	–
<b>Roll-to-side front panels</b>	•	•	•	•
<b>Zip-out side panels</b>	•	•	•	•
<b>Curtains / Blinds</b>	Curtains	Curtains	Curtains	Curtains

**/ Scope of delivery**

<b>Draught skirt</b>	–	–	–	–
<b>Hand pump</b>	•	•	•	•
<b>Pegs</b>	•	•	•	•
<b>Storm straps</b>	–	–	–	–

**/ Optional extras**




<b>Pro AIR tall annexe</b>	CE7379	CE7379	CE7379	CE7379
<b>Pro AIR annexe</b>	CE7311	CE7311	CE7311	CE7311
<b>Pro AIR conservatory</b>	CE7380	CE7380	CE7380	CE7380
<b>Canopy / Sunwing</b>	–	–	–	–
<b>Mesh panel set</b>	CE7392	CE7392	CE7392	CE7392
<b>Side wall set</b>	–	–	–	–
<b>Continental carpet</b>	111722	111722	111722	111722
<b>Easy tread carpet</b>	111122	111122	111122	111122
<b>Roof lining</b>	CE7423	CE7424	CE7425	CE7426

TECHNICAL DATA				
	RALLY AIR PRO 330			
INFLATABLE AWNINGS				
Product name	Rally AIR Pro 330 S	Rally AIR Pro 330 L	Rally AIR Pro 330 XL	Rally AIR Pro 330 XXL
Model no.	CE7205	CE7206	CE7207	CE7208
Ref. no.	9120000093	9120000094	9120000095	9120000096
Awning width (cm)	330	330	330	330
Awning depth (cm)	250	250	250	250
Highest point at front (cm)	185	185	185	185
Connection height (cm)	235 - 250	250 - 265	265 - 280	280 - 295
Connection width (cm)	340	340	340	340
Pack size (L x W x H cm)	99 x 56 x 29	99 x 56 x 29	99 x 56 x 29	99 x 56 x 29
Weight (kg)	24	24.3	25	25.6
Min. Weight (kg)	15.54	15.84	16.54	17.14
Material	Weathershield™ Pro	Weathershield™ Pro	Weathershield™ Pro	Weathershield™ Pro
/ Key features				
Single Point Inflation	•	•	•	•
Dual-Pitch™ roof system	•	•	•	•
QuickPitch™ guying system	•	•	•	•
Limpet™ ready	•	•	•	•
SabreLink™ ready	•	•	•	•
Flyscreen panels	R/H window L/H & R/H doors	R/H window L/H & R/H doors	R/H window L/H & R/H doors	R/H window L/H & R/H doors
Zip-out front panels	–	–	–	–
Roll-to-side front panels	•	•	•	•
Zip-out side panels	•	•	•	•
Curtains / Blinds	Curtains	Curtains	Curtains	Curtains
/ Scope of delivery				
Draught skirt	–	–	–	–
Hand pump	•	•	•	•
Pegs	•	•	•	•
Storm straps	–	–	–	–
/ Optional extras				
Pro AIR tall annexe	CE7379	CE7379	CE7379	CE7379
Pro AIR annexe	CE7311	CE7311	CE7311	CE7311
Pro AIR conservatory	CE7380	CE7380	CE7380	CE7380
Canopy / Sunwing	–	–	–	–
Mesh panel set	CE7393	CE7393	CE7393	CE7393
Side wall set	–	–	–	–
Continental carpet	111724	111724	111724	111724
Easy tread carpet	111123	111123	111123	111123
Roof lining	CE7427	CE7428	CE7429	CE7430





## SPECIFICATIONS

### KAMPA DOMETIC



TECHNICAL DATA				
INFLATABLE AWNINGS	WINTER AIR PVC 260		SUNSHINE AIR PRO VW	RALLY AIR PRO 240 T/G
Product name	Winter AIR PVC 260 S	Winter AIR PVC 260 L	Sunshine AIR Pro VW	Rally AIR Pro 240 T/G
Model no.	AW1016	AW1017	MH1010	MH2010
Ref. No.	9120000007	9120000008	9120000201	9120000101
Awning width (cm)	260	260	240	240
Awning depth (cm)	180	180	195	260
Highest point at front (cm)	190	190	220	185
Connection height (cm)	235 - 250	250 - 265	180 - 210	220 - 275
Connection width (cm)	270	270	240	–
Pack size (L x W x H cm)	99 x 56 x 33	99 x 56 x 33	72 x 31 x 31	99 x 56 x 35
Weight (kg)	29.1	29.5	8.5	26.3
Min. Weight (kg)	20.46	20.84	6.22	17.38
Material	Weathershield™ PVC	Weathershield™ PVC	Weathershield™ Pro	Weathershield™ Pro
/ Key features				
Single Point Inflation	•	•	•	•
Dual-Pitch™ roof system	•	•	–	•
QuickPitch™ guying system	•	•	–	•
Limpet™ ready	•	•	–	–
SabreLink™ ready	•	•	–	•
Double mud wall	•	•	–	–
Flyscreen panels	–	–	–	R/H window L/H & R/H doors
Zip-out front panels	–	–	–	–
Roll-to-side front panels	–	–	–	•
Zip-out side panels	–	–	–	•
Curtains / Blinds	Blinds	Blinds	–	Curtains
/ Scope of delivery				
Draught skirt*	•	•	–	–
Hand pump	•	•	•	•
Pegs	•	•	•	•
Storm straps	•	•	•	–
Roof lining	•	•	–	–
/ Optional extras				
Pro AIR tall annexe	–	–	–	CE7379
Pro AIR annexe	–	–	–	CE7311
Pro AIR conservatory	–	–	–	–
Canopy / Sunwing	–	–	–	CE7393
Mesh panel set	–	–	–	AA2005
Side wall set	–	–	AA0018	–
Continental carpet	111770	111770	–	111771
Roof lining	–	–	–	AA1020



\*Requires a draught skirt rail.

TECHNICAL DATA					
	INFLATABLE AWNINGS	RALLY AIR ALL-SEASON 330 D/A	RALLY AIR PRO D/A		
Product name	Rally AIR All-Season 330 D/A	Rally AIR Pro 260 VW D/A	Rally AIR Pro 260 D/A	Rally AIR Pro 330 D/A	Rally AIR Pro 390 D/A
Model no.	MH2013	MH2001	MH2011	MH2002	MH2003
Ref. No.	9120000200	9120000102	9120000103	9120000104	9120000105
Awning width (cm)	330	260	260	330	390
Awning depth (cm)	260	260	260	260	260
Highest point at front (cm)	185	185	185	185	185
Connection height (cm)	220 - 300	180 - 225	220 - 300	220 - 300	220 - 300
Pack size (L x W x H cm)	99 x 56 x 43 / 99 x 13 x 33	99 x 56 x 37	99 x 56 x 39	99 x 56 x 39	99 x 56 x 39
Weight (kg)	34.3 / 8.34	30.3	32.16	33.96	35
Min. Weight (kg)	28.44	21.92	22.26	24.08	26.35
Material	Weathershield™ All-Season	Weathershield™ Pro	Weathershield™ Pro	Weathershield™ Pro	Weathershield™ Pro
/ Key features					
Single Point Inflation	•	•	•	•	•
Dual-Pitch™ roof system	•	•	•	•	•
QuickPitch™ guying system	•	•	•	•	•
Limpet™ ready	–	–	–	–	–
SabreLink™ ready	•	•	•	•	•
Double mud wall	–	–	–	–	–
Flyscreen panels	R/H window L/H & R/H doors	R/H window L/H & R/H doors	R/H window L/H & R/H doors	R/H window L/H & R/H doors	R/H window L/H & R/H doors
Zip-out front panels	•	–	–	–	–
Roll-to-side front panels	•	•	•	•	•
Zip-out side panels	•	•	•	•	•
Curtains / Blinds	Curtains	Curtains	Curtains	Curtains	Curtains
Door in tunnel	Two	Two	Two	Two	Two
/ Scope of delivery					
Draught skirt	–	–	–	–	–
Hand pump	•	•	•	•	•
Pegs	•	•	•	•	•
Storm straps	•	–	–	–	–
/ Optional extras					
All-Season AIR tall annexe	CE7378	–	–	–	–
Pro AIR tall annexe	–	CE7379	CE7379	CE7379	CE7379
Pro AIR annexe	–	CE7311	CE7311	CE7311	CE7311
Pro AIR conservatory	–	CE7380	CE7380	CE7380	CE7380
Canopy / Sunwing	–	–	–	–	–
Mesh panel set	CE7393	CE7392	CE7392	CE7393	CE7394
Side wall set	–	–	–	–	–
Continental carpet	111724	111722	111722	111724	111726
Easy tread carpet	111123	111122	111122	111123	111124
Roof lining	CE7455	AA1007	AA1019	CE7455	AA1008



**SPECIFICATIONS**  
**KAMPA DOMETIC**



TECHNICAL DATA				
	TOURING AIR CLASSIC VW		TOURING AIR VW	
INFLATABLE AWNINGS				
Product name	Touring AIR Classic VW L/H	Touring AIR Classic VW R/H	Touring AIR VW L/H	Touring AIR VW R/H
Model no.	CE7226	CE7244	CE7223	CE7245
Ref. no.	9120000106	9120000107	9120000108	9120000109
Awning width (cm)	320	320	320	320
Awning depth (cm)	540	540	540	540
Highest point at front (cm)	210	210	210	210
Connection height (cm)	180 - 210	180 - 210	250	250
Pack size (L x W x H cm)	78 x 48 x 48	78 x 48 x 48	85 x 46 x 43	85 x 46 x 43
Weight (kg)	34.42	34.42	26.64	26.64
Material	Weathershield™ Classic	Weathershield™ Classic	Weathershield™ 150D	Weathershield™ 150D
/ Key features				
Climate control	•	•	•	•
Blinds	Zippered	Zippered	Zippered	Zippered
Sleep-Tite bedrooms	•	•	•	•
Wider bedrooms	•	•	•	•
QuickPitch™ guying system	•	•	•	•
Wardrobe pole ready	•	•	•	•
SabreLink™ Flex ready	•	•	•	•
Cable entry point	•	•	•	•
Multi Point Inflation	•	•	•	•
Flyscreen panels	Front & R/H doors	Front & R/H doors	Front & R/H doors	Front & R/H doors
Groundsheet	Sewn-in	Sewn-in	Sewn-in	Sewn-in
Door in tunnel	One	One	One	One
/ Connection method				
Guy line	•	•	•	•
Velcro loops	•	•	•	•
Drive-away kit	•	•	•	•
/ Scope of delivery				
Hand pump	•	•	•	•
Pegs	•	•	•	•
Storm straps	•	•	•	•
/ Optional extras				
Canopy	CV3103	CV3103	CV3030	CV3030
Vestibule	CV3128	CV3128	CV3031	CV3031
Mesh Vestibule	CV3130	CV3130	CV3130	CV3130
Fleece Carpet	CC3034	CC3034	CC3034	CC3034
Footprint	CF0057	CF0057	CF0057	CF0057






TECHNICAL DATA						
	MOTION AIR			CROSS AIR		
INFLATABLE AWNINGS						
Product name	Motion AIR VW	Motion AIR L	Motion AIR XL	Cross AIR VW	Cross AIR L	Cross AIR XL
Model no.	MH2004	MH2005	MH2006	MH2007	MH2008	MH2009
Ref. no.	9120000110	9120000111	9120000112	9120000113	9120000114	9120000115
Awning width (cm)	310	310	310	300	300	300
Awning depth (cm)	290	290	290	300	300	300
Highest point at front (cm)	225	225	225	240	240	240
Connection height (cm)	180 - 210	205 - 235	230 - 295	180 - 210	205 - 235	230 - 295
Pack size (L x W x H cm)	78 x 42 x 40	78 x 42 x 40	78 x 42 x 40	76 x 36 x 36	76 x 36 x 36	76 x 36 x 36
Weight (kg)	20.63	21.07	21.07	18.16	18.36	18.52
Material	Weathershield™ 150D	Weathershield™ 150D	Weathershield™ 150D	Weathershield™ 150D	Weathershield™ 150D	Weathershield™ 150D
/ Key features						
Multi Point Inflation	•	•	•	•	•	•
QuickPitch™ guying system	•	•	•	•	•	•
SabreLink™ Flex ready	•	•	•	–	–	–
Flyscreen panels	Front & R/H side doors	Front & R/H side doors	Front & R/H side doors	–	–	–
Roll-to-side front panel	•	•	•	•	•	•
Roll-to-side side panels	•	•	•	–	–	–
Zip-out side panel	L/H side	L/H side	L/H side	L/H & R/H side	L/H & R/H side	L/H & R/H side
Curtains / Blinds	Zippered Blinds	Zippered Blinds	Zippered Blinds	Zippered Blinds	Zippered Blinds	Zippered Blinds
Groundsheet	Clip-in	Clip-in	Clip-in	Clip-in	Clip-in	Clip-in
Door in tunnel	Two	Two	Two	One	One	One
/ Connection method						
Guy line	•	•	•	•	•	•
Velcro loops	•	•	•	•	•	•
Drive-away kit	•	•	•	•	•	•
/ Scope of delivery						
Hand pump	•	•	•	•	•	•
Pegs	•	•	•	•	•	•
Storm straps	•	•	•	–	–	–
/ Optional extras						
Annexe	AA0004	AA0004	AA0004	AA0005	AA0005	AA0005
Canopy	CE7170	CE7170	CE7170	–	–	–
Inner Tent	AA3006	AA3006	AA3006	–	–	–
Carpet	CC0126	CC0126	CC0126	CC0127	CC0127	CC0127
Footprint	CF3057	CF3057	CF3057	CF3053	CF3053	CF3053



## SPECIFICATIONS



### KAMPA DOMETIC


TECHNICAL DATA				
	CROSS AIR VW T/G		ACTION AIR	
<b>Product name</b>	Cross AIR VW T/G	Action AIR VW	Action AIR L	Action AIR XL
<b>Model no.</b>	MH2012	CE7161	CE7162	CE7164
<b>Ref. no.</b>	9120000116	9120000117	9120000118	9120000119
<b>Awning width (cm)</b>	270	290	290	290
<b>Awning depth (cm)</b>	270	270	270	270
<b>Highest point at front (cm)</b>	240	205	205	205
<b>Connection height (cm)</b>	180 - 210	180 - 210	205 - 235	230 - 295
<b>Pack size (L x W x H cm)</b>	76 x 36 x 36	70 x 35 x 35	70 x 35 x 35	70 x 35 x 35
<b>Weight (kg)</b>	16.94	14.18	14.48	14.48
<b>Material</b>	Weathershield™ 150D	Weathershield™ 68D	Weathershield™ 68D	Weathershield™ 68D
<b>/ Key features</b>				
<b>Multi Point Inflation</b>	•	•	•	•
<b>QuickPitch™ guying system</b>	•	–	–	–
<b>SabreLink™ Flex ready</b>	–	•	•	•
<b>Flyscreen panels</b>	–	–	–	–
<b>Roll-to-side front panel</b>	•	•	•	•
<b>Roll-to-side side panels</b>	–	–	–	–
<b>Zip-out side panel</b>	L/H & R/H side	–	–	–
<b>Curtains / Blinds</b>	Zippered Blinds	Blinds	Blinds	Blinds
<b>Groundsheet</b>	Clip-in	Clip-in	Clip-in	Clip-in
<b>Door in tunnel</b>	–	One	One	One
<b>/ Connection method</b>				
<b>Guy line</b>	•	•	•	•
<b>Velcro loops</b>	–	•	•	•
<b>Drive-away kit</b>	–	•	•	•
<b>/ Scope of delivery</b>				
<b>Hand pump</b>	•	•	•	•
<b>Pegs</b>	•	•	•	•
<b>Connection straps</b>	•	–	–	–
<b>/ Optional extras</b>				
<b>Annexe</b>	AA0005	–	–	–
<b>Canopy</b>	–	–	–	–
<b>Inner Tent</b>	–	CE7403	CE7403	CE7403
<b>Carpet</b>	CC3058	CC0123	CC0123	CC0123
<b>Footprint</b>	CF3058	CF3051	CF3051	CF3051


TECHNICAL DATA					
INFLATABLE AWNINGS	ACTION VW	TRIP AIR VW	TRIP VW	TAILGATER AIR	TAILGATER
Product name	Action VW	Trip AIR VW	Trip VW	Tailgater AIR	Tailgater
Model no.	MH0001	CE7220	MH0002	CE7234	CE7232
Ref. no.	9120000121	9120000120	9120000122	9120000138	9120000139
Awning width (cm)	290	290	290	300	240
Awning depth (cm)	270	180	180	220	240
Highest point at front (cm)	205	205	205	215	225
Connection height (cm)	180 - 210	180 - 210	180 - 210	160-210	160-210
Pack size (L x W x H cm)	72 x 30 x 30	72 x 30 x 30	70 x 24 x 24	70 x 35 x 35	69 x 25 x 23
Weight (kg)	12.43	10.62	9.63	12.27	11
Material	Weathershield™ 68D	Weathershield™ 68D	Weathershield™ 68D	Weathershield™ 68D	Weathershield™ 68D
/ Key features					
Multi Point Inflation	–	•	–	•	–
Dynaflex fibreglass poles	•	–	•	–	•
QuickPitch™ guying system	–	–	–	–	–
SabreLink™ Flex ready	–	•	–	–	–
Flyscreen panels	–	–	–	Front & R/H side door	Front & R/H side door
Roll-to-side front panel	•	•	•	•	•
Roll-to-side side panels	–	–	–	–	–
Zip-out side panel	–	–	–	–	–
Curtains / Blinds	Blinds	Blinds	Blinds	Blinds	Blinds
Groundsheet	Clip-in	Clip-in	Clip-in	Clip-in	Clip-in
Door in tunnel	One	One	One	–	–
/ Connection method					
Guy line	•	•	•	•	•
Velcro loops	•	•	•	–	–
Drive-away kit	•	•	•	–	–
/ Scope of delivery					
Hand pump	–	•	–	•	–
Pegs	•	•	•	•	•
Connection straps	–	–	–	•	•
/ Optional extras					
Annexe	–	–	–	–	–
Canopy	–	–	–	–	–
Inner Tent	CE7403	–	–	CE7243	CE7242
Carpet	CC0123	CC3047	CC3047	CC3056	CC3054
Footprint	CF3051	CF3050	CF3050	CF3055	CF3056



**SPECIFICATIONS**  
**KAMPA DOMETIC**

TECHNICAL DATA						
	STORE PVC		AIR BREAK			
Product name	Store AIR PVC	Store PVC	AIR Break All-Season 3	AIR Break All-Season 5	AIR Break Pro 3	AIR Break Pro 5
Model no.	CT9037	CT9036	WB0008	WB0009	WB0004	WB0005
Ref. no.	9120000432	9120000435	9120000290	9120000291	9120000280	9120000354
Product width (cm)	160	160	620	840	620	840
Product depth (cm)	240	240	Variable (See p. 42)	Variable (See p. 42)	Variable (See p. 42)	Variable (See p. 42)
Height (cm)	200	200	140	140	140	140
Pack size (L x W x H cm)	99 x 33 x 33	125 x 27 x 27	85 x 31 x 25	85 x 31 x 29	85 x 31 x 19	85 x 31 x 25
Weight (kg)	19.84	20.4	8.92	12.18	8.26	10.8
Material	Weathershield™ PVC	Weathershield™ PVC	Weathershield™ All-Season	Weathershield™ All-Season	Weathershield™ Pro	Weathershield™ Pro
/ Scope of delivery						
Hand pump	•	–	–	–	–	–
Pegs	•	•	•	•	•	•
Carry bag	•	•	•	•	•	•

TECHNICAL DATA				
	PRO WINDBREAK			
Product name	Pro Windbreak 1	Pro Windbreak 3	Pro Windbreak 5	Pro Windbreak Door
Model no.	WB0007	WB0001	WB0002	WB0003
Ref. No.	9120000355	9120000356	9120000357	9120000358
Product width (cm)	153	460	765	100
Product depth (cm)	–	–	–	–
Height (cm)	140	140	140	140
Connection height (cm)	–	–	–	–
Pack size (L x W x H cm)	105 x 17 x 11	105 x 17 x 18	105 x 19 x 21	55 x 8 x 8
Weight (kg)	3.62	10.7	16.3	1.06
Material	Weathershield™ Pro	Weathershield™ Pro	Weathershield™ Pro	Weathershield™ Pro
/ Scope of delivery				
Hand pump	–	–	–	–
Pegs	•	•	•	•
Carry bag	•	•	•	•
Figure-of-8 extrusion strips	–	–	–	Four

TECHNICAL DATA							
	CANOPIES & VESTIBULES						
Product name	Ace Pro 400 Sun Wing	Motion AIR Canopy	Touring Classic AIR Canopy	Touring Classic AIR Vestibule	Touring AIR Canopy	Touring AIR Vestibule	Touring AIR Mesh Vestibule
Model no.	CE7026	CE7170	CV3103	CV3128	CV3030	CV3031	CV3130
Ref. no.	9120000063	9120000123	9120000253	9120000254	9120000255	9120000256	9120000257
Product width (cm)	430	310	320	320	320	320	320
Product depth (cm)	310	150	180	160	180	160	160
Height (cm)	225	225	210	200	210	200	200
Connection height (cm)	185	225	210	200	210	200	200
Pack size (L x W x H cm)	83 x 13 x 13	64 x 11 x 10	50 x 23 x 22	48 x 17 x 15	50 x 23 x 22	52 x 17 x 16	52 x 17 x 16
Weight (kg)	4.08	1.75	7.85	3.67	6.6	2.92	2.32
Material	Weathershield™ Pro	Weathershield™ Pro	Weathershield™ Classic	Weathershield™ Classic	Weathershield™ 150D	Weathershield™ 150D	Weathershield™ 150D
/ Scope of delivery							
Pegs	–	•	•	•	•	•	•
Carry bag	•	•	•	•	•	•	•
Groundsheet	–	–	•	•	•	•	•

TECHNICAL DATA						
	ANNEXES					
Product name	All-Season AIR Tall Annexe	Pro AIR Tall Annexe	Pro AIR Annexe	Pro AIR Conservatory	Motion AIR Annexe	Cross AIR Annexe
Model no.	CE7378	CE7379	CE7311	CE7380	AA0004	AA0005
Ref. no.	9120000049	9120000050	9120000051	9120000052	9120000124	9120000125
Product width (cm)	190	190	220	190	225	240
Product depth (cm)	180	180	180	180	160	170
Connection height (cm)	186	186	186	186	187	187
Pack size (L x W x H cm)	72 x 30 x 30	67 x 25 x 25	67 x 25 x 25	72 x 30 x 20	60 x 15 x 15	54 x 24 x 24
Weight (kg)	10.9	7.72	6.8	9.6	5	5.04
Material	Weathershield™ All-Season	Weathershield™ Pro	Weathershield™ Pro	Weathershield™ Pro	Weathershield™ Pro	Weathershield™ Pro
/ Scope of delivery						
Pole set	–	–	–	•	–	–
Curtains	–	–	–	•	–	–
Inner tent	•	•	•	–	•	•
Pegs	•	•	•	•	•	•
Carry bag	•	•	•	•	•	•
Dividing curtain	•	•	–	•	–	–



Mobile living made easy.



**dometic.com**

---

**YOUR LOCAL  
DEALER**

**[dometic.com/dealer](https://dometic.com/dealer)**

**YOUR LOCAL  
SUPPORT**

**[dometic.com/contact](https://dometic.com/contact)**

**YOUR LOCAL  
SALES OFFICE**

**[dometic.com/sales-office](https://dometic.com/sales-office)**

---

MH-EN-0819-Rev.B

**WE DISTRIBUTE OUR PRODUCTS IN AROUND 100 MARKETS. PLEASE ASK FOR YOUR CONTACT POINT OR VISIT OUR WEBSITE [DOMETIC.COM](https://dometic.com)**

Dometic UK Awnings Limited, Witham, Essex, UK